

# Mactac Regulatory Status

## Mactac Products with UV-Cured Acrylic adhesives

This Regulatory Bulletin covers Mactac Products using UV-cured acrylic adhesives:

MP-150
MP-820
MP-880
ReLatch®
MP410
427LSE

## Contents

Product Identification .....	4
Product Classification.....	4
SDS .....	4
US Regulation.....	5
FDA Status.....	5
Allergens .....	5
Chemical Substances Undergoing Prioritization: High Priority.....	5
Toxic Substances Control Act (TSCA) Restricted Substance Declaration .....	6
Consumer Product Safety Improvement Act (CPSIA) .....	6
Toxics in Packaging Clearinghouse (TPCH).....	6
State of California Safe Drinking Water and Toxic Enforcement Act of 1986 - Prop 65.....	7
Volatile Organic Compounds (VOC's) .....	7
EU Regulations .....	8
REACH - Substances of Very High Concern (SVHC).....	8
SCIP - Substances of Concern In articles as such or in complex objects ( <b>Products</b> ) .....	8
Restriction of Hazardous Substances in Electrical and Electronic Equipment - RoHS (1, 2 & 3) .....	8
Persistent organic pollutants (POPs) .....	8
EU Packaging Directive – EU 94/62/EC .....	9
Conflict Minerals .....	9
Extended Mineral Reporting – Mica and Cobalt.....	9
TSE/BSE .....	9
Per- and polyfluoroalkyl (PFAS) and PFOS (Perfluorooctanesulfonic) substances .....	9
Mineral Oil .....	9
Substances of Concern.....	10

## Product Identification

### Product Classification

Mactac Products using UV Acrylic Adhesives are considered **Articles** as defined by the Federal Occupational Safety and Health Administration (OSHA).

According to the OSHA's Hazard Communication Standard (29 CFR 1910.1200 (c):

*Article means a manufactured item other than a fluid or particle:*

- (i) which is formed to a specific shape or design during manufacture.*
- (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and*
- (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical and does not pose a physical hazard or health risk to employees.*

### SDS

According to 29 C.F.R. 1910.1200 (b)(6)(V), the section *1910.1200 - Hazard Communication* does not apply to articles. Consequently, as articles, Mactac products using UV Cured Acrylic Adhesives are exempt from the Safety Data Sheets (SDS) provisions of 29 C.F.R. 1910.1200(g)(6).

## US Regulation

### FDA Status

Mactac UV Cured Acrylic Adhesives MP-160 complies with 21 CFR 175.105 – Adhesives. Compliance with this section requires the adhesive is either separated from food by a functional barrier or used subject to the following limitations:

- In dry food. The quantity of adhesive that contacts packaged dry food shall not exceed the limits of good manufacturing practice.
- In fatty and aqueous food. The quantity of adhesive that contacts packaged fatty and aqueous food shall not exceed the trace amount at seams and at the edge exposure between packaging laminates that may occur within the limits of good manufacturing practice.

The end-user is responsible for determining the applicability of FDA requirements for the intended use(s).

### Allergens

Mactac products using UV Cured Acrylic Adhesives are not intentionally formulated to contain the following foods that are known to be allergens, as defined in the US Food Allergen Labeling and Consumer Protection Act of 2004:

- Milk
- Eggs
- Fish
- Crustacean shellfish
- Tree nuts
- Peanuts
- Wheat
- Soybeans
- Sesame

This information is based on supplier information, formulation, and manufacturing practices. Mactac does not routinely test for these substances, nor does it require its suppliers to carry out testing.

### Chemical Substances Undergoing Prioritization: High Priority

On December 20, 2019, EPA finalized the designation of 20 chemical substances as a high priority for upcoming risk evaluations.

Mactac UV Cured Acrylic adhesive MP-150 does not contain any of the twenty chemicals undergoing evaluation as High Priority under TSCA.

## Toxic Substances Control Act (TSCA) Restricted Substance Declaration

The United States Toxic Substances Control Act (TSCA) is a federal chemicals management regulation. Under TSCA Section 6, certain substances, and substance families (including treated articles containing these substances) are restricted from distribution in U.S. commerce, including:

- Asbestos
- Lead, when used in paint\*
- Polychlorinated biphenyls (PCBs)
- Dioxins
- Chlorofluorocarbons (CFCs, ozone depleting substances)
- Metallic mercury, when used in consumer products
- Formaldehyde, when used in composite wood products\*
- Nitrites, when used in certain cutting fluids\*
- Hexavalent chromium compounds, when used in water treatment\*
- Five Persistent, Bioaccumulative, and Toxic substances restricted in 2021:
  - PIP 3:1 (CAS 68937-41-7)
  - DecaBDE (CAS 1163-19-5)
  - 2,4,6 TTBP (CAS 732-26-3)
  - HCBd (CAS 87-68-3)
  - PCTP (CAS 133-49-3)

\*Not applicable to Mactac products

Based on supplier information, formulation, and manufacturing practices, Mactac products using UV Cured Acrylic Adhesives are not manufactured with the addition of the above listed chemicals.

## Consumer Product Safety Improvement Act (CPSIA)

Under the chemical substance requirements set forth in the Consumer Product Safety Improvement Act of 2008 (“CPSIA”), the presence of heavy metals in substrates are restricted in all children’s products. In addition, the phthalates denominated as DEHP, DBP, BBP, DINP, DIDP, and DNOP are restricted in toys for children and childcare articles.

Based on supplier information, formulation and manufacturing process, Mactac products using UV Cured Acrylic Adhesives meet the safety requirements for lead and phthalates in Consumer Product Safety Improvement Act (CPSIA) of 2008 for children’s products.

## Toxics in Packaging Clearinghouse (TPCH)

Mactac does not intentionally add the following heavy metals (or their compounds): cadmium, hexavalent chromium, lead, mercury, as well as phthalates and perfluoroalkyl and polyfluoroalkyl substances (PFAS) to any of the products using UV Cured Acrylic Adhesive, as defined on the 2021 Toxic in Packaging Clearinghouse (TPCH) update. Mactac does not specifically analyze the products for the presence of these substances. Based on our knowledge of the raw materials and the manufacturing process, the sum of any trace quantities of lead, mercury, cadmium, and hexavalent chromium is below legislation limit of 100 ppm.

### State of California Safe Drinking Water and Toxic Enforcement Act of 1986 - Prop 65

Proposition 65 requires businesses to provide warnings to Californians about significant exposures to chemicals that cause cancer, birth defects or other reproductive harm.

Mactac products that utilize UV Cured Acrylic adhesives comply with the California Safe Drinking Water and Toxic Enforcement Act of 1986, commonly known as Proposition 65. A warning label is not required on the basis that there is no exposure to any Proposition 65 substances in known applications.

### Volatile Organic Compounds (VOC's)

Mactac UV Acrylic Adhesives are considered low-VOC. No solvents are added during product manufacturing , and any residual monomers are expected to be substantially removed during the coating and drying processes. Mactac does not routinely test for VOC's.

## EU Regulations

### REACH - Substances of Very High Concern (SVHC)

Mactac products that utilize UV Cured Adhesives are classified as “articles” per European Union Regulation (EC) No. 1907/2006 and are not articles with an intended release of a chemical substance. They are exempt from the registration requirements.

These articles do not contain intentionally added Substance of Very High Concerned (SVHC) as published by the European Chemicals Agency (ECHA) on June 25<sup>th</sup>, 2025, under the provisions of Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) in concentration exceeding 0.1% w/w.

### SCIP - Substances of Concern In articles as such or in complex objects (Products)

SCIP is the database for information on Substances of Concern In articles as such or in complex objects (Products) established under the Waste Framework Directive (WFD).

To ensure compliance with SCIP, Companies supplying articles containing substances of very high concern (SVHCs) on the Candidate List in a concentration above 0.1% weight by weight (w/w) on the EU market have to submit information on these articles to ECHA.

Refer to REACH-SVHC statement above for SCIP compliance.

### Restriction of Hazardous Substances in Electrical and Electronic Equipment - RoHS (1, 2 & 3)

Mactac products using UV Cured Acrylic Adhesives are in compliance with concentration values listed in European Commission Directive 2002/95/EC and Annex II of Directive 2011/65/EU (RoHS 2) and (EU) 2015/863 restricting the use of certain hazardous substances in each of the homogeneous material in electrical and electronic equipment (EEE) as follows:

- Less than 0.1% by weight for lead, mercury and hexavalent chromium
- Less than 0.1% by weight for polybromo biphenyls (PBB) and polybrominated biphenyl ethers (PBDE)
- Less than 0.01% by weight for cadmium
- Less than 0.1% by weight for bis (2-ethylhexyl phthalate (DEHP), benzyl butyl phthalate (BBP), dibutyl phthalate (DBP), diisobutyl phthalate (DIBP)

These products also comply with the chemical requirements of China RoHS.

Mactac products using UV Cured Acrylic Adhesives are not tested for the above mentioned substances.

### Persistent organic pollutants (POPs)

Mactac products do not contain intentionally added Persistent organic pollutants (POPs) according to the **Regulations (EU) No 2019/1021 and (EU) No 2023/1006 of the European Parliament** on persistent organic pollutants (POPs Regulation).



## EU Packaging Directive – EU 94/62/EC

Mactac has conducted recyclability testing on certain products. All recyclability information is available to review through the Mactac Simply Sustainable website: <https://www.mactac.com/Simplysustainable>.

All Mactac products with a paper or PET liner, the liner is considered fully recyclable with liner recycling solutions provided through CELAB Europe or TLMI in the US.

Mactac does not intentionally add the following heavy metals (or their compounds): cadmium, hexavalent chromium, lead, mercury. Based on our knowledge of the raw materials and the manufacturing process, the sum of any trace quantities of lead, mercury, cadmium, and hexavalent chromium is below legislation limit of 100 ppm.

## Conflict Minerals

Mactac products using UV Cured Acrylic Adhesives do not contain Conflict Minerals (columbite-tantalite, cassiterite, wolframite, and gold as identified in Public Law 111-203) and their derivatives (tantalum, tin, and tungsten), as enumerated in 77 Federal Register 56273 and 56285).

## Extended Mineral Reporting – Mica and Cobalt

Based on supplier information, formulation, and manufacturing practices Mica and Cobalt are not used as components, nor are added to the manufacturing process or to Mactac products using UV Cured Acrylic Adhesives.

## TSE/BSE

Mactac products manufactured using UV Acrylic adhesives do not contain Animal Derived Materials.

## Per- and polyfluoroalkyl (PFAS) and PFOS (Perfluorooctanesulfonic) substances

Several U.S. states have adopted varying laws prohibiting the manufacture, known distribution, or sale of products containing intentionally added perfluoroalkyl and polyfluoroalkyl substances (PFAS)

Based on supplier information, formulation, and manufacturing practices, Mactac products using UV Cured Acrylic Adhesives do not contain intentionally added Organic Fluorine Compounds including PFAS (Per- and polyfluoroalkyl) and PFOS (Perfluorooctanesulfonic) substances.

## Mineral Oil

Mineral oil hydrocarbons (MOH) consist of two fractions, mineral oil saturated hydrocarbons (MOSH) and mineral oil aromatic hydrocarbons (MOAH).

Based on the supplier information, formulation and manufacturing processes, Mactac Products utilizing UV Cured adhesives do not contain mineral oil.

## Substances of Concern

Based on supplier information, formulation and manufacturing process, the Substances of Concern listed below are not used as components, nor are added to the manufacturing process or to Mactac products using UV Cured Acrylic Adhesives :

- Aromatic amines
- Asbestos or Crystalline Silica
- Azo Dyes
- Biocides
- BHT and BHA
- Bisphenol A (BPA)
- Bisphenol S (BPS)
- Brominated Flame Retardants
- Chlorinated compounds (excluding products with vinyl face stocks)
- Dimethyl Fumarate
- Dioxins
- Epoxy Derivatives
- ESP – Expanded Polystyrene
- Food Materials or Food Allergens
- Nanomaterial
- Natural Rubber or Natural Rubber Latex
- Nitrosamines
- Ozone Depleting Substances
- Phosphorus- based flame retardant
- Phthalate Plasticizers, including DEHP, DINP, DIDP, DnOP, DnHP, BBP, DBP, DIBP, DCHP
- Polychlorinated Biphenyls (PCBs)
- Poly Vinyl Chloride (excluding products with vinyl face stocks)
- Short-chained Chlorinated Paraffins (SCCP)
- Tri Nonyl Phenyl Phosphite (TNPP)

### DISCLAIMER:

This Regulatory Bulletin has been prepared by Mactac NA for general information only. It is meant to answer the most common regulatory questions. Regulations, status, and standards will evolve and Mactac will update this document on a regular basis. The determination of the suitability of the final use of the products is the sole responsibility of the customer. Mactac does not perform tests, nor does it require its suppliers to carry out testing. Information on this Regulatory Bulletin is based on supplier information, formulation, and manufacturing practices. For more Regulatory information, please contact your Mactac sales representative or our regulatory team at [res-377-regulatoryrequests@mactac.com](mailto:res-377-regulatoryrequests@mactac.com)